

Introduction to SQL

SELECT-FROM-WHERE STATEMENTS

MULTIRELATION QUERIES

SUBQUERIES

SQL

SQL is a standard language for accessing databases.

SQL stands for Structured Query Language.

SQL lecture's material will teach you how to use SQL to access and manipulate data in: Postgresql, MySQL, SQL Server, Access, Oracle, Sybase, IBM DB2, and other database systems.

Why SQL?

SQL is a very-high-level language.

- Say “what to do” rather than “how to do it.”
- Avoid a lot of data-manipulation details needed in procedural languages like C++ or Java.

Database management system figures out “best” way to execute query.

- Called “query optimization.”

Select-From-Where Statements

SELECT desired attributes

FROM one or more tables

WHERE condition about tuples of
the tables

Our Running Example

All our SQL queries will be based on the following database schema.

Beers(name, manf)

Bars(name, addr, license)

Drinkers(name, addr, phone)

Likes(drinker, beer)

Sells(bar, beer, price)

Frequents(drinker, bar)

Example

Using `Beers(name, manf)`, what beers are made by Anheuser-Busch?

```
SELECT name
FROM Beers
WHERE manf = 'Anheuser-Busch';
```

Result of Query

| name |
|----------|
| Bud |
| Bud Lite |
| Michelob |
| ... |

The answer is a relation with a single attribute, name, and tuples with the name of each beer by Anheuser-Busch, such as Bud.

Meaning of Single-Relation Query

Begin with the relation in the FROM clause.

Apply the selection indicated by the WHERE clause.

Apply the extended projection indicated by the SELECT clause.

Operational Semantics --- General

Think of a *tuple variable* visiting each tuple of the relation mentioned in FROM.

Check if the “current” tuple satisfies the WHERE clause.

If so, compute the attributes or expressions of the SELECT clause using the components of this tuple.

Operational Semantics

| name | manf |
|------|----------------|
| | |
| Bud | Anheuser-Busch |
| | |

Include $t.name$
in the result, if so

Check if
Anheuser-Busch

Tuple-variable t
loops over all
tuples

* In SELECT clauses

When there is one relation in the FROM clause, * in the SELECT clause stands for “all attributes of this relation.”

Example: Using **Beers(name, manf):**

```
SELECT *  
  
FROM Beers  
  
WHERE manf = 'Anheuser-Busch';
```

Result of Query:

| name | manf |
|----------|----------------|
| Bud | Anheuser-Busch |
| Bud Lite | Anheuser-Busch |
| Michelob | Anheuser-Busch |
| ... | ... |

Now, the result has each of the attributes of Beers.

Renaming Attributes

If you want the result to have different attribute names, use “AS <new name>” to rename an attribute.

Example: Using `Beers(name, manf)`:

```
SELECT name AS beer, manf
FROM Beers
WHERE manf = 'Anheuser-Busch'
```

Result of Query:

| beer | manf |
|----------|----------------|
| Bud | Anheuser-Busch |
| Bud Lite | Anheuser-Busch |
| Michelob | Anheuser-Busch |
| ... | ... |

Expressions in SELECT Clauses

Any expression that makes sense can appear as an element of a SELECT clause.

Example: Using `Sells(bar, beer, price)`:

```
SELECT bar, beer,  
       price*114 AS priceInYen  
FROM Sells;
```

Result of Query

| bar | beer | priceInYen |
|-------|--------|------------|
| Joe's | Bud | 285 |
| Sue's | Miller | 342 |
| ... | ... | ... |

Example: Constants as Expressions

Using `Likes(drinker, beer)`:

```
SELECT drinker,  
       'likes Bud' AS whoLikesBud  
FROM Likes  
WHERE beer = 'Bud';
```

Result of Query

| drinker | whoLikesBud |
|---------|-------------|
| Sally | likes Bud |
| Fred | likes Bud |
| ... | ... |

Example: Information Integration

We often build “data warehouses” from the data at many “sources.”

Suppose each bar has its own relation $\text{Menu}(\text{beer}, \text{price})$.

To contribute to $\text{Sells}(\text{bar}, \text{beer}, \text{price})$ we need to query each bar and insert the name of the bar.

Information Integration --- (2)

For instance, at Joe's Bar we can issue the query:

```
SELECT 'Joe''s Bar', beer, price  
FROM Menu;
```

Complex Conditions in WHERE Clause

Boolean operators AND, OR, NOT.

Comparisons =, <>, <, >, <=, >=.

- And many other operators that produce boolean-valued results.

Example: Complex Condition

Using `Sells(bar, beer, price)`, find the price Joe's Bar charges for Bud:

```
SELECT price
FROM Sells
WHERE bar = 'Joe''s Bar' AND
       beer = 'Bud';
```

Patterns

A condition can compare a string to a pattern by:

- <Attribute> LIKE <pattern> or <Attribute> NOT LIKE <pattern>

Pattern is a quoted string with % = “any string”; _ = “any character.”

Example: LIKE

Using `Drinkers(name, addr, phone)` find the drinkers with exchange 555:

```
SELECT name
FROM Drinkers
WHERE phone LIKE '%555-__ __ __';
```


NULL Values

Tuples in SQL relations can have NULL as a value for one or more components.

Meaning depends on context. Two common cases:

- *Missing value* : e.g., we know Joe's Bar has some address, but we don't know what it is.
- *Inapplicable* : e.g., the value of attribute *spouse* for an unmarried person.

Comparing NULL's to Values

The logic of conditions in SQL is really 3-valued logic: TRUE, FALSE, UNKNOWN.

Comparing any value (including NULL itself) with NULL yields UNKNOWN.

A tuple is in a query answer iff the WHERE clause is TRUE (not FALSE or UNKNOWN).

Three-Valued Logic

To understand how AND, OR, and NOT work in 3-valued logic, think of TRUE = 1, FALSE = 0, and UNKNOWN = $\frac{1}{2}$.

AND = MIN; OR = MAX, NOT(x) = $1-x$.

Example:

TRUE AND (FALSE OR NOT(UNKNOWN)) =

$$\text{MIN}(1, \text{MAX}(0, (1 - \frac{1}{2}))) =$$

$$\text{MIN}(1, \text{MAX}(0, \frac{1}{2})) =$$

$$\text{MIN}(1, \frac{1}{2}) = \frac{1}{2}.$$

Surprising Example

From the following Sells relation:

| bar | beer | price |
|-----------|------|-------|
| Joe's Bar | Bud | NULL |

SELECT bar

FROM Sells

WHERE price < 2.00

OR

price >= 2.00;

←→
UNKNOWN

←→
UNKNOWN

←→
UNKNOWN

Reason: 2-Valued Laws \neq 3-Valued Laws

Some common laws, like commutativity of AND, hold in 3-valued logic.

But not others, e.g., the *law of the excluded middle* : $p \text{ OR NOT } p = \text{TRUE}$.

- When $p = \text{UNKNOWN}$, the left side is $\text{MAX}(\frac{1}{2}, (1 - \frac{1}{2})) = \frac{1}{2} \neq 1$.

Multirelation Queries

Interesting queries often combine data from more than one relation.

We can address several relations in one query by listing them all in the FROM clause.

Distinguish attributes of the same name by “<relation>.<attribute>” .

Example: Joining Two Relations

Using relations `Likes(drinker, beer)` and `Frequents(drinker, bar)`, find the beers liked by at least one person who frequents Joe's Bar.

```
SELECT beer
FROM Likes, Frequents
WHERE bar = 'Joe''s Bar' AND
       Frequents.drinker =
Likes.drinker;
```

Formal Semantics

Almost the same as for single-relation queries:

1. Start with the *product* of all the relations in the FROM clause.
2. Apply the selection *condition* from the WHERE clause.
3. *Project* onto the list of attributes and expressions in the SELECT clause.


Operational Semantics

Imagine one tuple-variable for each relation in the FROM clause.

- These tuple-variables visit each combination of tuples, one from each relation.

If the tuple-variables are pointing to tuples that satisfy the WHERE clause, send these tuples to the SELECT clause.

Example



Explicit Tuple-Variables

Sometimes, a query needs to use two copies of the same relation.

Distinguish copies by following the relation name by the name of a tuple-variable, in the FROM clause.

It is always an option to rename relations this way, even when not essential.

Example: Self-Join

From **Beers(name, manf)**, find all pairs of beers by the same manufacturer.

- Do not produce pairs like (Bud, Bud).
- Produce pairs in alphabetic order, e.g. (Bud, Miller), not (Miller, Bud).

```
SELECT b1.name, b2.name
FROM Beers b1, Beers b2
WHERE b1.manf = b2.manf AND
      b1.name < b2.name;
```

Example: Self-Join, Reverse?

From `Beers(name, manf)`, find all pairs of beers by the same manufacturer.

- Do not produce pairs like (Bud, Bud).
- Produce pairs in reverse alphabetic order, e.g. (Miller, Bud), not (Bud, Miller).

```
SELECT . . .
```

Subqueries

A parenthesized SELECT-FROM-WHERE statement (*subquery*) can be used as a value in a number of places, including FROM and WHERE clauses.

Example: in place of a relation in the FROM clause, we can use a subquery and then query its result.

- Must use a tuple-variable to name tuples of the result.

Example: Subquery in FROM

Find the beers liked by at least one person who frequents Joe's Bar.

```
SELECT beer
FROM Likes, (SELECT drinker
             FROM Frequent
             WHERE bar = 'Joe's Bar') JD
WHERE Likes.drinker = JD.drinker;
```

Drinkers who
frequent Joe's Bar



Subqueries That Return One Tuple

If a subquery is guaranteed to produce one tuple, then the subquery can be used as a value.

- Usually, the tuple has one component.
- A run-time error occurs if there is no tuple or more than one tuple.

Example: Single-Tuple Subquery

Using `Sells(bar, beer, price)`, find the bars that serve Miller for the same price Joe charges for Bud.

Two queries would surely work:

1. Find the price Joe charges for Bud.
2. Find the bars that serve Miller at that price.

Query + Subquery Solution

SELECT bar

FROM Sells

WHERE beer = 'Miller' AND

```
price = (SELECT price
         FROM Sells
         WHERE bar = 'Joe''s Bar'
         AND beer = 'Bud');
```

The price at
which Joe
sells Bud



The IN Operator

`<tuple> IN (<subquery>)` is true if and only if the tuple is a member of the relation produced by the subquery.

- Opposite: `<tuple> NOT IN (<subquery>)`.

IN-expressions can appear in WHERE clauses.

Example: IN

Using **Beers(name, manf)** and **Likes(drinker, beer)**, find the name and manufacturer of each beer that Fred likes.

```
SELECT *
```

```
FROM Beers
```

```
WHERE name IN (SELECT beer  
FROM Likes  
WHERE drinker = 'Fred');
```

The set of
beers Fred
likes



Remember These From Lecture #1?

```
SELECT a  
FROM R, S  
WHERE R.b = S.b;
```

```
SELECT a  
FROM R  
WHERE b IN (SELECT b FROM S);
```


IN is a Predicate About R's Tuples

```
SELECT a
FROM R
WHERE b IN (SELECT b FROM S);
```

Two 2's



```
(SELECT b FROM S);
```



One loop, over the tuples of R

| a | b |
|---|---|
| 1 | 2 |
| 3 | 4 |

R


| b | c |
|---|---|
| 2 | 5 |
| 2 | 6 |

S

(1,2) satisfies the condition; 1 is output once.

This Query Pairs Tuples from R, S

```
SELECT a
FROM R, S
WHERE R.b = S.b;
```



Double loop, over
the tuples of R and S

| a | b |
|---|---|
| 1 | 2 |
| 3 | 4 |

R

| b | c |
|---|---|
| 2 | 5 |
| 2 | 6 |

S

(1,2) with (2,5)
and (1,2) with
(2,6) both satisfy
the condition;
1 is output twice.

The Exists Operator

EXISTS(<subquery>) is true if and only if the subquery result is not empty.

We can also use NOT EXISTS

Example: From **Beers(name, manf)** , find those beers that are the unique beer by their manufacturer.


Example: EXISTS

SELECT name


FROM Beers b1

WHERE NOT EXISTS (

Set of
beers
with the
same
manf as
b1, but
not the
same
beer



```
SELECT *  
FROM Beers b2  
WHERE b2.manf = b1.manf AND  
      b2.name <> b1.name);
```



Notice the
SQL "not
equals"
operator

The Operator ANY

$x = \text{ANY}(\langle \text{subquery} \rangle)$ is a boolean condition that is true iff x equals at least one tuple in the subquery result.

- = could be any comparison operator.

Example: $x \geq \text{ANY}(\langle \text{subquery} \rangle)$ means x is not the uniquely smallest tuple produced by the subquery.

- Note tuples must have one component only.

The Operator ALL

$x \langle \rangle \text{ALL}(\langle \text{subquery} \rangle)$ is true iff for every tuple t in the relation, x is not equal to t .

- That is, x is not in the subquery result.

$\langle \rangle$ can be any comparison operator.


Example: $x \geq \text{ALL}(\langle \text{subquery} \rangle)$ means there is no tuple larger than x in the subquery result.

Example: ALL

From `Sells(bar, beer, price)`, find the beer(s) sold for the highest price.

```
SELECT beer
FROM Sells
WHERE price >= ALL(
  SELECT price
  FROM Sells);
```

price from the outer
Sells must not be
less than any price.



Union, Intersection, and Difference

Union, intersection, and difference of relations are expressed by the following forms, each involving subqueries:

- (<subquery>) UNION (<subquery>)
- (<subquery>) INTERSECT (<subquery>)
- (<subquery>) EXCEPT (<subquery>)

Example: Intersection

Using `Likes(drinker, beer)`, `Sells(bar, beer, price)`, and `Frequents(drinker, bar)`, find the drinkers and beers such that:

1. The drinker likes the beer, and
2. The drinker frequents at least one bar that sells the beer.

Notice trick:
subquery is
really a stored
table.

Solution

```
(SELECT * FROM Likes)
```

INTERSECT

```
(SELECT drinker, beer  
FROM Sells, Frequents  
WHERE Frequents.bar = Sells.bar  
);
```

The drinker frequents
a bar that sells the
beer.

Bag/Set Semantics

Although the SELECT-FROM-WHERE statement uses bag semantics, the default for union, intersection, and difference is **set** semantics!!

- That is, duplicates are eliminated as the operation is applied.

Motivation: Efficiency

When doing projection, it is easier to avoid eliminating duplicates.

- Just work tuple-at-a-time.

For intersection or difference, it is most efficient to sort the relations first.

- At that point you may as well eliminate the duplicates anyway.

Controlling Duplicate Elimination

Force the result to be a set by `SELECT DISTINCT ...`

Force the result to be a bag (i.e., don't eliminate duplicates) by `ALL`, as in `... UNION ALL ...`

Example: DISTINCT

From `Sells(bar, beer, price)`, find all the different prices charged for beers:

```
SELECT DISTINCT price
FROM Sells;
```

Notice that without `DISTINCT`, each price would be listed as many times as there were bar/beer pairs at that price.

Example: ALL

Using relations **Frequents(drinker, bar)** and **Likes(drinker, beer)**:

```
(SELECT drinker FROM Frequents)
  EXCEPT ALL
  (SELECT drinker FROM Likes);
```

Lists drinkers who frequent more bars than they like beers, and does so as many times as the difference of those counts.

Join Expressions

SQL provides several versions of (bag) joins.

These expressions can be stand-alone queries or used in place of relations in a FROM clause.

Products and Natural Joins

Natural join:

```
R NATURAL JOIN S;
```

Product:

```
R CROSS JOIN S;
```

Example:

```
Likes NATURAL JOIN Sells;
```

Relations can be parenthesized subqueries, as well.

Theta Join

R JOIN S ON <condition>

Example: using **Drinkers(name, addr)** and **Frequents(drinker, bar):**

```
Drinkers JOIN Frequents ON  
    name = drinker;
```

gives us all (d, a, d, b) quadruples such that drinker d lives at address a and frequents bar b .

Actions

Review slides.

Read chapter about SQL (Chapters 6.1-3 in 2nd Edition of course book).

Next class: SQL Advanced.

Play with SQL: <http://www.w3schools.com/sql/default.asp>